arXiv:0902.4075v1 [math-ph] 24 Feb 2009

Lagrangian Dynamics on Clifford Kähler Manifolds

Mehmet Tekkoyun *

Department of Mathematics, Pamukkale University,

20070 Denizli, Turkey

February 24, 2009

Abstract

In this study, Clifford Kähler analogue of Lagrangian dynamics is introduced. Also, the some geometrical and physical results over the obtained Clifford Kähler dynamical systems are discussed.

Keywords: Clifford Kähler Geometry, Lagrangian Dynamics.

MSC: 53C15, 70H03.

---

*Corresponding author. E-mail address: tekkoyun@pau.edu.tr; Tel: +902582953616; Fax: +902582953593

1 Introduction

It is well-known that modern differential geometry express explicitly the dynamics of Lagrangians. Therefore we explain that if M is an m-dimensional configuration manifold and $L : TM \rightarrow \mathbf{R}$ is a regular Lagrangian function, then there is a unique vector field ξ on TM such that dynamics equations is determined by

$$i_{\xi}\Phi_L = dE_L \tag{1}$$

where Φ_L indicates the symplectic form. The triple (TM, Φ_L, ξ) is named *Lagrangian system* on the tangent bundle TM .

It is known, there are many studies about Lagrangian mechanics, formalisms, systems and equations such that real, complex, paracomplex and other analogues [1, 2] and there in. So, it may be produced different analogues in different spaces. The goal of finding new dynamics equations is both a new expansion and contribution to science to explain physical events.

Sir William Rowan Hamilton invented quaternions as an extension to the complex numbers. Hamilton's defining relation is most succinctly written as:

$$i^2 = j^2 = k^2 = ijk = -1 \tag{2}$$

If it is compared to the calculus of vectors, quaternions have slipped into the realm of obscurity. They do however still find use in the computation of rotations. A lot of physical laws in classical, relativistic, and quantum mechanics can be written pleasantly by means of quaternions. Some physicists hope they will find deeper understanding of the universe by restating basic principles in terms of quaternion algebra. It is well-known that quaternions are useful for representing rotations in both quantum and classical mechanics [3] . Clifford manifolds are also quaternion manifolds. One may say that the above properties yield for Clifford manifold. It is seen that Clifford manifold has also an important role in physical fields. For example, considering Riemannian manifold (M^{8n}, g) is the simplest example of Clifford Kähler manifold, author obtained Euler-Lagrange equations using a canonical local basis $\{J_1, J_2, J_3\}$ of V on the standard Clifford Kähler manifold $(\mathbf{R}^{8n}, V)$ in [4].

In this study, Euler-Lagrange equations for Lagrangian systems on Clifford Kähler manifold have been introduced.

2 Preliminaries

In this paper, all mathematical objects and mappings are assumed to be smooth, i.e. infinitely differentiable and Einstein convention of summarizing is adopted. $\mathcal{F}(M)$, $\chi(M)$ and $\Lambda^1(M)$ define the set of functions on M, the set of vector fields on M and the set of 1-forms on M, respectively.

2.1 Clifford Kähler Manifolds

Now, here we extend and rewrite the main concepts and structures given in [5, 6] . Let M be a real smooth manifold of dimension m. Assume that there is a 6-dimensional vector bundle V consisting of $F_i (i = 1, 2, ..., 6)$ tensors of type (1,1) over M. Such a local basis $\{F_1, F_2, ..., F_6\}$ is named a canonical local basis of the bundle V in a neighborhood U of M. Then V is said to be an almost Clifford structure in M. The pair (M, V) is called an almost Clifford manifold with V. Thus, an almost Clifford manifold M is of dimension $m = 8n$. If there exists on (M, V) a global basis $\{F_1, F_2, ..., F_6\}$, then (M, V) is said to be an almost Clifford manifold; the basis

$\{F_1, F_2, ..., F_6\}$ is called a global basis for V.

An almost Clifford connection on the almost Clifford manifold (M, V) is a linear connection ∇ on M which preserves by parallel transport the vector bundle V. This means that if Φ is a cross-section (local-global) of the bundle V, then $\nabla_X \Phi$ is also a cross-section (local-global, respectively) of V, X being an arbitrary vector field of M.

If for any canonical basis $\{J_i\}$, $i = \overline{1,6}$ of V in a coordinate neighborhood U, the identities

$$g(J_i X, J_i Y) = g(X, Y), \ \forall X, Y \in \chi(M), \quad i = 1, 2, ..., 6, \tag{3}$$

hold, the triple (M, g, V) is said to be an almost Clifford Hermitian manifold or metric Clifford manifold denoting by V an almost Clifford structure V and by g a Riemannian metric and by (g, V) an almost Clifford metric structure.

Since each $J_i (i = 1, 2, ..., 6)$ is almost Hermitian structure with respect to g, setting

$$\Phi_i(X, Y) = g(J_i X, Y), \quad i = 1, 2, ..., 6, \tag{4}$$

for any vector fields X and Y, we see that Φ_i are 6 local 2-forms.

If the Levi-Civita connection $\nabla = \nabla^g$ on (M, g, V) preserves the vector bundle V by parallel transport, then (M, g, V) is named a Clifford Kähler manifold, and an almost Clifford structure Φ_i of M is said to be a Clifford Kähler structure. Assume that let

$$\{x_i, x_{n+i}, x_{2n+i}, x_{3n+i}, x_{4n+i}, x_{5n+i}, x_{6n+i}, x_{7n+i}\}, i = \overline{1,n}$$

be a real coordinate system on (M, V). Then we determine by

$$\left\{ \frac{\partial}{\partial x_i}, \frac{\partial}{\partial x_{n+i}}, \frac{\partial}{\partial x_{2n+i}}, \frac{\partial}{\partial x_{3n+i}}, \frac{\partial}{\partial x_{4n+i}}, \frac{\partial}{\partial x_{5n+i}}, \frac{\partial}{\partial x_{6n+i}}, \frac{\partial}{\partial x_{7n+i}} \right\},$$

$$\{dx_i, dx_{n+i}, dx_{2n+i}, dx_{3n+i}, dx_{4n+i}, dx_{5n+i}, dx_{6n+i}, dx_{7n+i}\}$$

the natural bases over $\mathbf{R}$ of the tangent space $T(M)$ and the cotangent space $T^*(M)$ of M, respectively. By structures $\{J_i\}$, $i = \overline{1,6}$ the following expressions are calculated

$$\begin{array}{lll}
J_1(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{n+i}} & J_2(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{2n+i}} & J_3(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{3n+i}} \\
J_1(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_i} & J_2(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_{4n+i}} & J_3(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_{5n+i}} \\
J_1(\frac{\partial}{\partial x_{2n+i}}) = \frac{\partial}{\partial x_{4n+i}} & J_2(\frac{\partial}{\partial x_{2n+i}}) = -\frac{\partial}{\partial x_i} & J_3(\frac{\partial}{\partial x_{2n+i}}) = -\frac{\partial}{\partial x_{6n+i}} \\
J_1(\frac{\partial}{\partial x_{3n+i}}) = \frac{\partial}{\partial x_{5n+i}} & J_2(\frac{\partial}{\partial x_{3n+i}}) = \frac{\partial}{\partial x_{6n+i}} & J_3(\frac{\partial}{\partial x_{3n+i}}) = -\frac{\partial}{\partial x_i} \\
J_1(\frac{\partial}{\partial x_{4n+i}}) = -\frac{\partial}{\partial x_{2n+i}} & J_2(\frac{\partial}{\partial x_{4n+i}}) = \frac{\partial}{\partial x_{n+i}} & J_3(\frac{\partial}{\partial x_{4n+i}}) = \frac{\partial}{\partial x_{7n+i}} \\
J_1(\frac{\partial}{\partial x_{5n+i}}) = -\frac{\partial}{\partial x_{3n+i}} & J_2(\frac{\partial}{\partial x_{5n+i}}) = -\frac{\partial}{\partial x_{7n+i}} & J_3(\frac{\partial}{\partial x_{5n+i}}) = \frac{\partial}{\partial x_{n+i}} \\
J_1(\frac{\partial}{\partial x_{6n+i}}) = \frac{\partial}{\partial x_{7n+i}} & J_2(\frac{\partial}{\partial x_{6n+i}}) = -\frac{\partial}{\partial x_{3n+i}} & J_3(\frac{\partial}{\partial x_{6n+i}}) = \frac{\partial}{\partial x_{2n+i}} \\
J_1(\frac{\partial}{\partial x_{7n+i}}) = -\frac{\partial}{\partial x_{6n+i}} & J_2(\frac{\partial}{\partial x_{7n+i}}) = \frac{\partial}{\partial x_{5n+i}} & J_3(\frac{\partial}{\partial x_{7n+i}}) = -\frac{\partial}{\partial x_{4n+i}} \\
J_4(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{4n+i}} & J_5(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{5n+i}} & J_6(\frac{\partial}{\partial x_i}) = \frac{\partial}{\partial x_{6n+i}} \\
J_4(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_{2n+i}} & J_5(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_{3n+i}} & J_6(\frac{\partial}{\partial x_{n+i}}) = -\frac{\partial}{\partial x_{7n+i}} \\
J_4(\frac{\partial}{\partial x_{2n+i}}) = \frac{\partial}{\partial x_{n+i}} & J_5(\frac{\partial}{\partial x_{2n+i}}) = -\frac{\partial}{\partial x_{7n+i}} & J_6(\frac{\partial}{\partial x_{2n+i}}) = -\frac{\partial}{\partial x_{3n+i}} \\
J_4(\frac{\partial}{\partial x_{3n+i}}) = -\frac{\partial}{\partial x_{7n+i}} & J_5(\frac{\partial}{\partial x_{3n+i}}) = \frac{\partial}{\partial x_{n+i}} & J_6(\frac{\partial}{\partial x_{3n+i}}) = \frac{\partial}{\partial x_{2n+i}} \\
J_4(\frac{\partial}{\partial x_{4n+i}}) = -\frac{\partial}{\partial x_i} & J_5(\frac{\partial}{\partial x_{4n+i}}) = \frac{\partial}{\partial x_{6n+i}} & J_6(\frac{\partial}{\partial x_{4n+i}}) = \frac{\partial}{\partial x_{5n+i}} \\
J_4(\frac{\partial}{\partial x_{5n+i}}) = \frac{\partial}{\partial x_{6n+i}} & J_5(\frac{\partial}{\partial x_{5n+i}}) = -\frac{\partial}{\partial x_i} & J_6(\frac{\partial}{\partial x_{5n+i}}) = -\frac{\partial}{\partial x_{4n+i}} \\
J_4(\frac{\partial}{\partial x_{6n+i}}) = -\frac{\partial}{\partial x_{5n+i}} & J_5(\frac{\partial}{\partial x_{6n+i}}) = -\frac{\partial}{\partial x_{4n+i}} & J_6(\frac{\partial}{\partial x_{6n+i}}) = -\frac{\partial}{\partial x_i} \\
J_4(\frac{\partial}{\partial x_{7n+i}}) = \frac{\partial}{\partial x_{3n+i}} & J_5(\frac{\partial}{\partial x_{7n+i}}) = \frac{\partial}{\partial x_{2n+i}} & J_6(\frac{\partial}{\partial x_{7n+i}}) = \frac{\partial}{\partial x_{n+i}}
\end{array}$$

3 Lagrangian Mechanics

In this section, we introduce Euler-Lagrange equations for quantum and classical mechanics by means of a canonical local basis $\{J_i\}$, $i = \overline{1,6}$ of V on Clifford Kähler manifold (M, V). We say that the Euler-Lagrange equations using basis $\{J_1, J_2, J_3\}$ of V on $(\mathbf{R}^{8n}, V)$ are introduced in [4]. In this study, we obtain that they are the same as the equations obtained by operators J_1, J_2, J_3 of V on Clifford Kähler manifold (M,V). If we reexpress them, they are respectively:

first:

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_i}\right)+\frac{\partial L}{\partial x_{n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{n+i}}\right)-\frac{\partial L}{\partial x_i}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{2n+i}}\right)+\frac{\partial L}{\partial x_{4n+i}}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{3n+i}}\right)+\frac{\partial L}{\partial x_{5n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{4n+i}}\right)-\frac{\partial L}{\partial x_{2n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{5n+i}}\right)-\frac{\partial L}{\partial x_{3n+i}}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{6n+i}}\right)+\frac{\partial L}{\partial x_{7n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{7n+i}}\right)-\frac{\partial L}{\partial x_{6n+i}}=0.$$

second:

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_i}\right)+\frac{\partial L}{\partial x_{2n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{n+i}}\right)-\frac{\partial L}{\partial x_{4n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{2n+i}}\right)-\frac{\partial L}{\partial x_i}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{3n+i}}\right)+\frac{\partial L}{\partial x_{6n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{4n+i}}\right)+\frac{\partial L}{\partial x_{n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{5n+i}}\right)-\frac{\partial L}{\partial x_{7n+i}}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{6n+i}}\right)-\frac{\partial L}{\partial x_{3n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{7n+i}}\right)+\frac{\partial L}{\partial x_{5n+i}}=0.$$

third:

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_i}\right)+\frac{\partial L}{\partial x_{3n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{n+i}}\right)-\frac{\partial L}{\partial x_{5n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{2n+i}}\right)-\frac{\partial L}{\partial x_{6n+i}}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{3n+i}}\right)-\frac{\partial L}{\partial x_i}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{4n+i}}\right)+\frac{\partial L}{\partial x_{7n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{5n+i}}\right)+\frac{\partial L}{\partial x_{n+i}}=0,$$

$$\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{6n+i}}\right)+\frac{\partial L}{\partial x_{2n+i}}=0, \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{7n+i}}\right)-\frac{\partial L}{\partial x_{4n+i}}=0.$$

Here, only we derive Euler-Lagrange equations using operators J_4, J_5, J_6 of V on Clifford Kähler manifold (M,V).

Fourth, let J_4 take a local basis component on Clifford Kähler manifold (M,V), and $\{x_i, x_{n+i}, x_{2n+i}, x_{3n+i}, x_{4n+i}, x_{5n+i}, x_{6n+i}, x_{7n+i}\}$, $i=\overline{1,n}$ be its coordinate functions. Let semispray be the vector field ξ defined by

$$\begin{aligned}\xi = X^i\frac{\partial}{\partial x_i}+X^{n+i}\frac{\partial}{\partial x_{n+i}}+X^{2n+i}\frac{\partial}{\partial x_{2n+i}}+X^{3n+i}\frac{\partial}{\partial x_{3n+i}}\\ +X^{4n+i}\frac{\partial}{\partial x_{4n+i}}+X^{5n+i}\frac{\partial}{\partial x_{5n+i}}+X^{6n+i}\frac{\partial}{\partial x_{6n+i}}+X^{7n+i}\frac{\partial}{\partial x_{7n+i}},\end{aligned} \tag{5}$$

where

$$\begin{aligned} X^i &= \dot{x}_i, X^{n+i}=\dot{x}_{n+i}, X^{2n+i}=\dot{x}_{2n+i}, X^{3n+i}=\dot{x}_{3n+i},\\ X^{4n+i} &= \dot{x}_{4n+i}, X^{5n+i}=\dot{x}_{5n+i}, X^{6n+i}=\dot{x}_{6n+i}, X^{7n+i}=\dot{x}_{7n+i}\end{aligned}$$

and the dot indicates the derivative with respect to time t. The vector fields determined by

$$\begin{aligned} V_{J_4} = J_4(\xi) = X^i \tfrac{\partial}{\partial x_{4n+i}} - X^{n+i} \tfrac{\partial}{\partial x_{2n+i}} + X^{2n+i} \tfrac{\partial}{\partial x_{n+i}} - X^{3n+i} \tfrac{\partial}{\partial x_{7n+i}} \\ -X^{4n+i} \tfrac{\partial}{\partial x_i} + X^{5n+i} \tfrac{\partial}{\partial x_{6n+i}} - X^{6n+i} \tfrac{\partial}{\partial x_{5n+i}} + X^{7n+i} \tfrac{\partial}{\partial x_{3n+i}}, \end{aligned} \tag{6}$$

is named *Liouville vector field* on Clifford Kähler manifold (M, V). The maps explained by $T, P : M \to \mathbf{R}$ such that

$$T = \frac{1}{2} m_i (\dot{x_i}^2 + \dot{x}^2_{n+i} + x^2_{2n+i} + \dot{x}^2_{3n+i} + \dot{x_{4n+i}}^2 + \dot{x}^2_{5n+i} + x^2_{6n+i} + \dot{x}^2_{7n+i}), \quad P = m_i g h$$

are said to be *the kinetic energy* and *the potential energy of the system,* respectively. Here m_i, g and h stand for mass of a mechanical system having m particles, the gravity acceleration and distance to the origin of a mechanical system on Clifford Kähler manifold (M, V), respectively. Then $L : M \to R$ is a map that satisfies the conditions; i) $L = T - P$ is a *Lagrangian function, ii)* the function given by $E_L^{J_4} = V_{J_4}(L) - L$, is *energy function.*

The operator i_{J_4} induced by J_4 and defined by

$$i_{J_4}\omega(X_1, X_2, ..., X_r) = \sum_{i=1}^{r} \omega(X_1, ..., J_4 X_i, ..., X_r), \tag{7}$$

is called *vertical derivation,* where $\omega \in \wedge^r M$, $X_i \in \chi(M)$. The *vertical differentiation* d_{J_4} is determined by

$$d_{J_4} = [i_{J_4}, d] = i_{J_4} d - d i_{J_4} \tag{8}$$

where d is the usual exterior derivation. We saw that the closed Clifford Kähler form is the closed 2-form given by $\Phi_L^{J_4} = -d d_{J_4} L$ such that

$$\begin{aligned} d_{J_4} = {} & \frac{\partial}{\partial x_{4n+i}} dx_i - \frac{\partial}{\partial x_{2n+i}} dx_{n+i} + \frac{\partial}{\partial x_{n+i}} dx_{2n+i} - \frac{\partial}{\partial x_{7n+i}} dx_{3n+i} \\ & - \frac{\partial}{\partial x_i} dx_{4n+i} + \frac{\partial}{\partial x_{6n+i}} dx_{5n+i} - \frac{\partial}{\partial x_{5n+i}} dx_{6n+i} + \frac{\partial}{\partial x_{3n+i}} dx_{7n+i} \end{aligned}$$

determined by operator

$$d_{J_4} : \mathcal{F}(M) \rightarrow \wedge^1 M. \tag{9}$$

Then

$$\Phi_L^{J_4} = -\frac{\partial^2 L}{\partial x_j \partial x_{4n+i}} dx_j \wedge dx_i + \frac{\partial^2 L}{\partial x_j \partial x_{2n+i}} dx_j \wedge dx_{n+i} - \frac{\partial^2 L}{\partial x_j \partial x_{n+i}} dx_j \wedge dx_{2n+i}$$

$$+\frac{\partial^2 L}{\partial x_j \partial x_{7n+i}} dx_j \wedge dx_{3n+i} + \frac{\partial^2 L}{\partial x_j \partial x_i} dx_j \wedge dx_{4n+i} - \frac{\partial^2 L}{\partial x_j \partial x_{6n+i}} dx_j \wedge dx_{5n+i}$$

$$+\frac{\partial^2 L}{\partial x_j \partial x_{5n+i}} dx_j \wedge dx_{6n+i} - \frac{\partial^2 L}{\partial x_j \partial x_{3n+i}} dx_j \wedge dx_{7n+i} - \frac{\partial^2 L}{\partial x_{n+j} \partial x_{4n+i}} dx_{n+j} \wedge dx_i$$

$$+\frac{\partial^2 L}{\partial x_{n+j} \partial x_{2n+i}} dx_{n+j} \wedge dx_{n+i} - \frac{\partial^2 L}{\partial x_{n+j} \partial x_{n+i}} dx_{n+j} \wedge dx_{2n+i} + \frac{\partial^2 L}{\partial x_{n+j} \partial x_{7n+i}} dx_{n+j} \wedge dx_{3n+i}$$

$$+\frac{\partial^2 L}{\partial x_{n+j} \partial x_i} dx_{n+j} \wedge dx_{4n+i} - \frac{\partial^2 L}{\partial x_{n+j} \partial x_{6n+i}} dx_{n+j} \wedge dx_{5n+i} + \frac{\partial^2 L}{\partial x_{n+j} \partial x_{5n+i}} dx_{n+j} \wedge dx_{6n+i}$$

$$-\frac{\partial^2 L}{\partial x_{n+j} \partial x_{7n+i}} dx_{n+j} \wedge dx_{7n+i} - \frac{\partial^2 L}{\partial x_{2n+j} \partial x_{4n+i}} dx_{2n+j} \wedge dx_i + \frac{\partial^2 L}{\partial x_{2n+j} \partial x_{2n+i}} dx_{2n+j} \wedge dx_{n+i}$$

$$-\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{n+i}} dx_{2n+j} \wedge dx_{2n+i} + \frac{\partial^2 L}{\partial x_{2n+j} \partial x_{7n+i}} dx_{2n+j} \wedge dx_{3n+i} + \frac{\partial^2 L}{\partial x_{2n+j} \partial x_i} dx_{2n+j} \wedge dx_{4n+i}$$

$$-\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{6n+i}} dx_{2n+j} \wedge dx_{5n+i} + \frac{\partial^2 L}{\partial x_{2n+j} \partial x_{5n+i}} dx_{2n+j} \wedge dx_{6n+i} - \frac{\partial^2 L}{\partial x_{2n+j} \partial x_{7n+i}} dx_{2n+j} \wedge dx_{7n+i}$$

$$-\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{4n+i}} dx_{3n+j} \wedge dx_i + \frac{\partial^2 L}{\partial x_{3n+j} \partial x_{2n+i}} dx_{3n+j} \wedge dx_{n+i} - \frac{\partial^2 L}{\partial x_{3n+j} \partial x_{n+i}} dx_{3n+j} \wedge dx_{2n+i}$$

$$+\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{7n+i}} dx_{3n+j} \wedge dx_{3n+i} + \frac{\partial^2 L}{\partial x_{3n+j} \partial x_i} dx_{3n+j} \wedge dx_{4n+i} - \frac{\partial^2 L}{\partial x_{3n+j} \partial x_{6n+i}} dx_{3n+j} \wedge dx_{5n+i}$$

$$+\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{5n+i}} dx_{3n+j} \wedge dx_{6n+i} - \frac{\partial^2 L}{\partial x_{3n+j} \partial x_{7n+i}} dx_{3n+j} \wedge dx_{7n+i} - \frac{\partial L}{\partial x_{4n+j} \partial x_{4n+i}} dx_{4n+j} \wedge dx_i$$

$$+\frac{\partial L}{\partial x_{4n+j} \partial x_{2n+i}} dx_{4n+j} \wedge dx_{n+i} - \frac{\partial L}{\partial x_{4n+j} \partial x_{n+i}} dx_{4n+j} \wedge dx_{2n+i} + \frac{\partial L}{\partial x_{4n+j} \partial x_{7n+i}} dx_{4n+j} \wedge dx_{3n+i}$$

$$+\frac{\partial^2 L}{\partial x_{4n+j} \partial x_i} dx_{4n+j} \wedge dx_{4n+i} - \frac{\partial^2 L}{\partial x_{4n+j} \partial x_{6n+i}} dx_{4n+j} \wedge dx_{5n+i} + \frac{\partial^2 L}{\partial x_{4n+j} \partial x_{5n+i}} dx_{4n+j} \wedge dx_{6n+i}$$

$$-\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{3n+i}} dx_{4n+j} \wedge dx_{7n+i} - \frac{\partial^2 L}{\partial x_{5n+j} \partial x_{4n+i}} dx_{5n+j} \wedge dx_i + \frac{\partial^2 L}{\partial x_{5n+j} \partial x_{2n+i}} dx_{5n+j} \wedge dx_{n+i}$$

$$-\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{n+i}} dx_{5n+j} \wedge dx_{2n+i} + \frac{\partial^2 L}{\partial x_{5n+j} \partial x_{7n+i}} dx_{5n+j} \wedge dx_{3n+i} + \frac{\partial^2 L}{\partial x_{5n+j} \partial x_i} dx_{5n+j} \wedge dx_{4n+i}$$

$$-\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{6n+i}} dx_{5n+j} \wedge dx_{5n+i} + \frac{\partial^2 L}{\partial x_{5n+j} \partial x_{5n+i}} dx_{5n+j} \wedge dx_{6n+i} - \frac{\partial^2 L}{\partial x_{5n+j} \partial x_{3n+i}} dx_{5n+j} \wedge dx_{7n+i}$$

$$-\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{4n+i}} dx_{6n+j} \wedge dx_i + \frac{\partial^2 L}{\partial x_{6n+j} \partial x_{2n+i}} dx_{6n+j} \wedge dx_{n+i} - \frac{\partial^2 L}{\partial x_{6n+j} \partial x_{n+i}} dx_{6n+j} \wedge dx_{2n+i}$$

$$+\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{7n+i}} dx_{6n+j} \wedge dx_{3n+i} + \frac{\partial^2 L}{\partial x_{6n+j} \partial x_i} dx_{6n+j} \wedge dx_{4n+i} - \frac{\partial^2 L}{\partial x_{6n+j} \partial x_{6n+i}} dx_{6n+j} \wedge dx_{5n+i}$$

$$+\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{5n+i}} dx_{6n+j} \wedge dx_{6n+i} - \frac{\partial^2 L}{\partial x_{6n+j} \partial x_{7n+i}} dx_{6n+j} \wedge dx_{7n+i} - \frac{\partial^2 L}{\partial x_{7n+j} \partial x_{4n+i}} dx_{7n+j} \wedge dx_i$$

$$+\frac{\partial^2 L}{\partial x_{7n+j} \partial x_{2n+i}} dx_{7n+j} \wedge dx_{n+i} - \frac{\partial^2 L}{\partial x_{7n+j} \partial x_{n+i}} dx_{7n+j} \wedge dx_{2n+i} + \frac{\partial^2 L}{\partial x_{7n+j} \partial x_{7n+i}} dx_{7n+j} \wedge dx_{3n+i}$$

$$+\frac{\partial^2 L}{\partial x_{7n+j}\partial x_i}dx_{7n+j}\wedge dx_{4n+i}-\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}dx_{7n+j}\wedge dx_{5n+i}+\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}dx_{7n+j}\wedge dx_{6n+i}$$

$$-\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}dx_{7n+j}\wedge dx_{7n+i}$$

Let ξ be the second order differential equation by determined **Eq.** (1) and given by **Eq.** (5) and

$$i_\xi \Phi_L^{J_1}=-X^i\frac{\partial^2 L}{\partial x_j\partial x_{4n+i}}\delta_i^j dx_i+X^i\frac{\partial^2 L}{\partial x_j\partial x_{4n+i}}dx_j+X^i\frac{\partial^2 L}{\partial x_j\partial x_{2n+i}}\delta_i^j dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_j\partial x_{2n+i}}dx_j$$

$$-X^i\frac{\partial^2 L}{\partial x_j\partial x_{n+i}}\delta_i^j dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_j\partial x_{n+i}}dx_j+X^i\frac{\partial^2 L}{\partial x_j\partial x_{7n+i}}\delta_i^j dx_{3n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_j\partial x_{7n+i}}dx_j$$

$$+X^i\frac{\partial^2 L}{\partial x_j\partial x_i}\delta_i^j dx_{4n+i}-X^{4n+i}\frac{\partial^2 L}{\partial x_j\partial x_i}dx_j-X^i\frac{\partial^2 L}{\partial x_j\partial x_{6n+i}}\delta_i^j dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_j\partial x_{6n+i}}dx_j$$

$$+X^i\frac{\partial^2 L}{\partial x_j\partial x_{5n+i}}\delta_i^j dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_j\partial x_{5n+i}}dx_j-X^i\frac{\partial^2 L}{\partial x_j\partial x_{3n+i}}\delta_i^j dx_{7n+i}+X^{7n+i}\frac{\partial^2 L}{\partial x_j\partial x_{3n+i}}dx_j$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{4n+i}}\delta_{n+i}^{n+j}dx_i+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{4n+i}}dx_{n+j}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{2n+i}}\delta_{n+i}^{n+j}dx_{n+i}$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{2n+i}}dx_{n+j}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{n+i}}\delta_{n+i}^{n+j}dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{n+i}}dx_{n+j}$$

$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}\delta_{n+i}^{n+j}dx_{3n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}dx_{n+j}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_i}\delta_{n+i}^{n+j}dx_{4n+i}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_i}dx_{n+j}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{6n+i}}\delta_{n+i}^{n+j}dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{6n+i}}dx_{n+j}$$

$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{5n+i}}\delta_{n+i}^{n+j}dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{5n+i}}dx_{n+j}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}\delta_{n+i}^{n+j}dx_{7n+i}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}dx_{n+j}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{4n+i}}\delta_{2n+i}^{2n+j}dx_i+X^i\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{4n+i}}dx_{2n+j}$$

$$+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{2n+i}}\delta_{2n+i}^{2n+j}dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{2n+i}}dx_{2n+j}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{n+i}}\delta_{2n+i}^{2n+j}dx_{2n+i}$$

$$+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{n+i}}dx_{2n+j}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}\delta_{2n+i}^{2n+j}dx_{3n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}dx_{2n+j}$$

$$+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_i}\delta_{2n+i}^{2n+j}dx_{4n+i}-X^{4n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_i}dx_{2n+j}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{6n+i}}\delta_{2n+i}^{2n+j}dx_{5n+i}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{6n+i}}dx_{2n+j}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{5n+i}}\delta_{2n+i}^{2n+j}dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{5n+i}}dx_{2n+j}$$

$$-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}\delta_{2n+i}^{2n+j}dx_{7n+i}+X^{7n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}dx_{2n+j}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{4n+i}}\delta_{3n+i}^{3n+j}dx_i$$

$$+X^i\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{4n+i}}dx_{3n+j}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{2n+i}}\delta_{3n+i}^{3n+j}dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{2n+i}}dx_{3n+j}$$

$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{n+i}}\delta_{3n+i}^{3n+j}dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{n+i}}dx_{3n+j}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}\delta_{3n+i}^{3n+j}dx_{3n+i}$$

$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}dx_{3n+j}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}\delta_{3n+i}^{3n+j}dx_{4n+i}-X^{4n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}dx_{3n+j}$$

$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{6n+i}}\delta_{3n+i}^{3n+j}dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{6n+i}}dx_{3n+j}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{5n+i}}\delta_{3n+i}^{3n+j}dx_{6n+i}$$

$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{5n+i}}dx_{3n+j}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}\delta_{3n+i}^{3n+j}dx_{7n+i}+X^{7n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}dx_{3n+j}$$

$$-X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{4n+i}}\delta_{4n+i}^{4n+j}dx_i+X^{i}\frac{\partial L}{\partial x_{4n+j}\partial x_{4n+i}}dx_{4n+j}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{2n+i}}\delta_{4n+i}^{4n+j}dx_{n+i}$$

$$-X^{n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{2n+i}}dx_{4n+j}-X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{n+i}}\delta_{4n+i}^{4n+j}dx_{2n+i}\quad+X^{2n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{n+i}}dx_{4n+j}$$

$$+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{7n+i}}\delta_{4n+i}^{4n+j}dx_{3n+i}-X^{3n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{7n+i}}dx_{4n+j}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{i}}\delta_{4n+i}^{4n+j}dx_{4n+i}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{i}}dx_{4n+j}-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{6n+i}}\delta_{4n+i}^{4n+j}dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{6n+i}}dx_{4n+j}$$

$$+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{5n+i}}\delta_{4n+i}^{4n+j}dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{5n+i}}dx_{4n+j}-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{3n+i}}\delta_{4n+i}^{4n+j}dx_{7n+i}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{3n+i}}dx_{4n+j}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{4n+i}}\delta_{5n+i}^{5n+j}dx_i\quad+X^{i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{4n+i}}dx_{5n+j}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{2n+i}}\delta_{5n+i}^{5n+j}dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{2n+i}}dx_{5n+j}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{n+i}}\delta_{5n+i}^{5n+j}dx_{2n+i}$$

$$+X^{2n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{n+i}}dx_{5n+j}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{7n+i}}\delta_{5n+i}^{5n+j}dx_{3n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{7n+i}}dx_{5n+j}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{i}}\delta_{5n+i}^{5n+j}dx_{4n+i}-X^{4n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{i}}dx_{5n+j}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{6n+i}}\delta_{5n+i}^{5n+j}dx_{5n+i}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{6n+i}}dx_{5n+j}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{5n+i}}\delta_{5n+i}^{5n+j}dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{5n+i}}dx_{5n+j}$$

$$-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{3n+i}}\delta_{5n+i}^{5n+j}dx_{7n+i}+X^{7n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{3n+i}}dx_{5n+j}-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{4n+i}}\delta_{6n+i}^{6n+j}dx_i$$

$$+X^{i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{4n+i}}dx_{6n+j}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{2n+i}}\delta_{6n+i}^{6n+j}dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{2n+i}}dx_{6n+j}$$

$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{n+i}}\delta_{6n+i}^{6n+j}dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{n+i}}dx_{6n+j}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}\delta_{6n+i}^{6n+j}dx_{3n+i}$$

$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}dx_{6n+j}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{i}}\delta_{6n+i}^{6n+j}dx_{4n+i}\quad-X^{4n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{i}}dx_{6n+j}$$

$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{6n+i}}\delta_{6n+i}^{6n+j}dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{6n+i}}dx_{6n+j}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{5n+i}}\delta_{6n+i}^{6n+j}dx_{6n+i}$$

$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{5n+i}}dx_{6n+j}-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}\delta_{6n+i}^{6n+j}dx_{7n+i}+X^{7n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}dx_{6n+j}$$

$$-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{4n+i}}\delta_{7n+i}^{7n+j}dx_i+X^{i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{4n+i}}dx_{7n+j}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}\delta_{7n+i}^{7n+j}dx_{n+i}$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}dx_{7n+j}-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}\delta_{7n+i}^{7n+j}dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}dx_{7n+j}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}\delta_{7n+i}^{7n+j}dx_{3n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}dx_{7n+j}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{i}}\delta_{7n+i}^{7n+j}dx_{4n+i}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{i}}dx_{7n+j}-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}\delta_{7n+i}^{7n+j}dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}dx_{7n+j}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}\delta_{7n+i}^{7n+j}dx_{6n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}dx_{7n+j}-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}\delta_{7n+i}^{7n+j}dx_{7n+i}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}dx_{7n+j}$$

Since the closed Clifford Kähler form $\Phi_L^{J_4}$ on (M,V) is the symplectic structure, it holds

$$\begin{aligned}
E_L^{J_4} = V_{J_4}(L) - L = X^i\frac{\partial L}{\partial x_{4n+i}} - X^{n+i}\frac{\partial L}{\partial x_{2n+i}} + X^{2n+i}\frac{\partial L}{\partial x_{n+i}} - X^{3n+i}\frac{\partial L}{\partial x_{7n+i}} \\
-X^{4n+i}\frac{\partial L}{\partial x_i} + X^{5n+i}\frac{\partial L}{\partial x_{6n+i}} - X^{6n+i}\frac{\partial L}{\partial x_{5n+i}} + X^{7n+i}\frac{\partial L}{\partial x_{3n+i}} - L
\end{aligned}$$

and thus

$$\begin{aligned}
&dE_L^{J_4} = X^i\frac{\partial^2 L}{\partial x_j \partial x_{4n+i}}dx_j - X^{n+i}\frac{\partial^2 L}{\partial x_j \partial x_{2n+i}}dx_j + X^{2n+i}\frac{\partial^2 L}{\partial x_j \partial x_{n+i}}dx_j \\
&-X^{3n+i}\frac{\partial^2 L}{\partial x_j \partial x_{7n+i}}dx_j - X^{4n+i}\frac{\partial^2 L}{\partial x_j \partial x_i}dx_j + X^{5n+i}\frac{\partial^2 L}{\partial x_j \partial x_{6n+i}}dx_j \\
&-X^{6n+i}\frac{\partial^2 L}{\partial x_j \partial x_{5n+i}}dx_j + X^{7n+i}\frac{\partial^2 L}{\partial x_j \partial x_{3n+i}}dx_j + X^i\frac{\partial^2 L}{\partial x_{n+j} \partial x_{4n+i}}dx_{n+j} \\
&-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{2n+i}}dx_{n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{n+i}}dx_{n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{7n+i}}dx_{n+j} \\
&-X^{4n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_i}dx_{n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{6n+i}}dx_{n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{5n+i}}dx_{n+j} \\
&+X^{7n+i}\frac{\partial^2 L}{\partial x_{n+j} \partial x_{3n+i}}dx_{n+j} + X^i\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{4n+i}}dx_{2n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{2n+i}}dx_{2n+j} \\
&+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{n+i}}dx_{2n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{7n+i}}dx_{2n+j} - X^{4n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_i}dx_{2n+j} \\
&+X^{5n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{6n+i}}dx_{2n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{5n+i}}dx_{2n+j} + X^{7n+i}\frac{\partial^2 L}{\partial x_{2n+j} \partial x_{3n+i}}dx_{2n+j} \\
&+X^i\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{4n+i}}dx_{3n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{2n+i}}dx_{3n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{n+i}}dx_{3n+j} \\
&-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{7n+i}}dx_{3n+j} - X^{4n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_i}dx_{3n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{6n+i}}dx_{3n+j} \\
&-X^{6n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{5n+i}}dx_{3n+j} + X^{7n+i}\frac{\partial^2 L}{\partial x_{3n+j} \partial x_{3n+i}}dx_{3n+j} + X^i\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{4n+i}}dx_{4n+j} \\
&-X^{n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{2n+i}}dx_{4n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{n+i}}dx_{4n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{7n+i}}dx_{4n+j} \\
&-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_i}dx_{4n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{6n+i}}dx_{4n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{5n+i}}dx_{4n+j} \\
&+X^{7n+i}\frac{\partial^2 L}{\partial x_{4n+j} \partial x_{3n+i}}dx_{4n+j} + X^i\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{4n+i}}dx_{5n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{2n+i}}dx_{5n+j} \\
&+X^{2n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{n+i}}dx_{5n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{7n+i}}dx_{5n+j} - X^{4n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_i}dx_{5n+j} \\
&+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{6n+i}}dx_{5n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{5n+i}}dx_{5n+j} + X^{7n+i}\frac{\partial^2 L}{\partial x_{5n+j} \partial x_{3n+i}}dx_{5n+j} \\
&+X^i\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{4n+i}}dx_{6n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{2n+i}}dx_{6n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{n+i}}dx_{6n+j} \\
&-X^{3n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{7n+i}}dx_{6n+j} - X^{4n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_i}dx_{6n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{6n+i}}dx_{6n+j} \\
&-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{5n+i}}dx_{6n+j} + X^{7n+i}\frac{\partial^2 L}{\partial x_{6n+j} \partial x_{3n+i}}dx_{6n+j} + X^i\frac{\partial^2 L}{\partial x_{7n+j} \partial x_{4n+i}}dx_{7n+j}
\end{aligned}$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}dx_{7n+j}+X^{2n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}dx_{7n+j}-X^{3n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}dx_{7n+j}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{i}}dx_{7n+j}+X^{5n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}dx_{7n+j}-X^{6n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}dx_{7n+j}$$

$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}dx_{7n+j}-\frac{\partial L}{\partial x_j}dx_j-\frac{\partial L}{\partial x_{n+j}}dx_{n+j}-\frac{\partial L}{\partial x_{2n+j}}dx_{2n+j}$$

$$-\frac{\partial L}{\partial x_{3n+j}}dx_{3n+j}-\frac{\partial L}{\partial x_{4n+j}}dx_{4n+j}-\frac{\partial L}{\partial x_{5n+j}}dx_{5n+j}-\frac{\partial L}{\partial x_{6n+j}}dx_{6n+j}-\frac{\partial L}{\partial x_{7n+j}}dx_{7n+j}$$

By means of **Eq.** (1), we calculate the following expressions

$$-X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{4n+i}}\delta_i^j dx_i+X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{2n+i}}\delta_i^j dx_{n+i}-X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{n+i}}\delta_i^j dx_{2n+i}$$

$$+X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{7n+i}}\delta_i^j dx_{3n+i}+X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{i}}\delta_i^j dx_{4n+i}-X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{6n+i}}\delta_i^j dx_{5n+i}$$

$$+X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{5n+i}}\delta_i^j dx_{6n+i}-X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{3n+i}}\delta_i^j dx_{7n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{4n+i}}\delta_{n+i}^{n+j} dx_i$$

$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{2n+i}}\delta_{n+i}^{n+j} dx_{n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{n+i}}\delta_{n+i}^{n+j} dx_{2n+i}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}\delta_{n+i}^{n+j} dx_{3n+i}$$

$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{i}}\delta_{n+i}^{n+j} dx_{4n+i}-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{6n+i}}\delta_{n+i}^{n+j} dx_{5n+i}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{5n+i}}\delta_{n+i}^{n+j} dx_{6n+i}$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}\delta_{n+i}^{n+j} dx_{7n+i}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{4n+i}}\delta_{2n+i}^{2n+j} dx_{i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{2n+i}}\delta_{2n+i}^{2n+j} dx_{n+i}$$

$$-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{n+i}}\delta_{2n+i}^{2n+j} dx_{2n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}\delta_{2n+i}^{2n+j} dx_{3n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{i}}\delta_{2n+i}^{2n+j} dx_{4n+i}$$

$$-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{6n+i}}\delta_{2n+i}^{2n+j} dx_{5n+i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{5n+i}}\delta_{2n+i}^{2n+j} dx_{6n+i}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}\delta_{2n+i}^{2n+j} dx_{7n+i}$$

$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{4n+i}}\delta_{3n+i}^{3n+j} dx_{i}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{2n+i}}\delta_{3n+i}^{3n+j} dx_{n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{n+i}}\delta_{3n+i}^{3n+j} dx_{2n+i}$$

$$+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}\delta_{3n+i}^{3n+j} dx_{3n+i}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{i}}\delta_{3n+i}^{3n+j} dx_{4n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{6n+i}}\delta_{3n+i}^{3n+j} dx_{5n+i}$$

$$+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{5n+i}}\delta_{3n+i}^{3n+j} dx_{6n+i}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}\delta_{3n+i}^{3n+j} dx_{7n+i}-X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{4n+i}}\delta_{4n+i}^{4n+j} dx_{i}$$

$$+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{2n+i}}\delta_{4n+i}^{4n+j} dx_{n+i}-X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{n+i}}\delta_{4n+i}^{4n+j} dx_{2n+i}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{7n+i}}\delta_{4n+i}^{4n+j} dx_{3n+i}$$

$$+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{i}}\delta_{4n+i}^{4n+j} dx_{4n+i}-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{6n+i}}\delta_{4n+i}^{4n+j} dx_{5n+i}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{5n+i}}\delta_{4n+i}^{4n+j} dx_{6n+i}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{3n+i}}\delta_{4n+i}^{4n+j} dx_{7n+i}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{4n+i}}\delta_{5n+i}^{5n+j} dx_{i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{2n+i}}\delta_{5n+i}^{5n+j} dx_{n+i}$$

$$-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{n+i}}\delta_{5n+i}^{5n+j} dx_{2n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{7n+i}}\delta_{5n+i}^{5n+j} dx_{3n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{i}}\delta_{5n+i}^{5n+j} dx_{4n+i}$$

$$-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{6n+i}}\delta_{5n+i}^{5n+j} dx_{5n+i}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{5n+i}}\delta_{5n+i}^{5n+j} dx_{6n+i}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{3n+i}}\delta_{5n+i}^{5n+j} dx_{7n+i}$$

$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{4n+i}}\delta_{6n+i}^{6n+j} dx_{i}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{2n+i}}\delta_{6n+i}^{6n+j} dx_{n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{n+i}}\delta_{6n+i}^{6n+j} dx_{2n+i}$$

$$+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}\delta_{6n+i}^{6n+j} dx_{3n+i}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{i}}\delta_{6n+i}^{6n+j} dx_{4n+i}-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{6n+i}}\delta_{6n+i}^{6n+j} dx_{5n+i}$$

$$+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{5n+i}}\delta_{6n+i}^{6n+j}dx_{6n+i} - X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}\delta_{6n+i}^{6n+j}dx_{7n+i} - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{4n+i}}\delta_{7n+i}^{7n+j}dx_i$$
$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}\delta_{7n+i}^{7n+j}dx_{n+i} - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}\delta_{7n+i}^{7n+j}dx_{2n+i} + X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}\delta_{7n+i}^{7n+j}dx_{3n+i}$$
$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_i}\delta_{7n+i}^{7n+j}dx_{4n+i} - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}\delta_{7n+i}^{7n+j}dx_{5n+i} + X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}\delta_{7n+i}^{7n+j}dx_{6n+i}$$
$$-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}\delta_{7n+i}^{7n+j}dx_{7n+i} + \frac{\partial L}{\partial x_j}dx_j + \frac{\partial L}{\partial x_{n+j}}dx_{n+j} + \frac{\partial L}{\partial x_{2n+j}}dx_{2n+j} + \frac{\partial L}{\partial x_{3n+j}}dx_{3n+j}$$
$$+\frac{\partial L}{\partial x_{4n+j}}dx_{4n+j} + \frac{\partial L}{\partial x_{5n+j}}dx_{5n+j} + \frac{\partial L}{\partial x_{6n+j}}dx_{6n+j} + \frac{\partial L}{\partial x_{7n+j}}dx_{7n+j} = 0.$$

If a curve determined by $\alpha : \mathbf{R} \to M$ is taken to be an integral curve of ξ, then we found equation as follows:

$$-X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{4n+i}}dx_j - X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{4n+i}}dx_j - X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{4n+i}}dx_j$$
$$-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{4n+i}}dx_j - X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{4n+i}}dx_j - X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{4n+i}}dx_j$$
$$-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{4n+i}}dx_j - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{4n+i}}dx_j + X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{2n+i}}dx_{n+j}$$
$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{2n+i}}dx_{n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{2n+i}}dx_{n+j} + X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{2n+i}}dx_{n+j}$$
$$+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{2n+i}}dx_{n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{2n+i}}dx_{n+j} + X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{2n+i}}dx_{n+j}$$
$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}dx_{n+j} - X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{n+i}}dx_{2n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{n+i}}dx_{2n+j}$$
$$-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{n+i}}dx_{2n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{n+i}}dx_{2n+j} - X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{n+i}}dx_{2n+j}$$
$$-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{n+i}}dx_{2n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{n+i}}dx_{2n+j} - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}dx_{2n+j}$$
$$+X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{7n+i}}dx_{3n+j} + X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}dx_{3n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}dx_{3n+j}$$
$$+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}dx_{3n+j} + X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{7n+i}}dx_{3n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{7n+i}}dx_{3n+j}$$
$$+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}dx_{3n+j} + X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}dx_{3n+j} + X^{i}\frac{\partial^2 L}{\partial x_j\partial x_i}dx_{4n+j}$$
$$+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_i}dx_{4n+j} + X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_i}dx_{4n+j} + X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}dx_{4n+j}$$
$$+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_i}dx_{4n+j} + X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_i}dx_{4n+j} + X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}dx_{4n+j}$$
$$+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_i}dx_{4n+j} - X^{i}\frac{\partial^2 L}{\partial x_j\partial x_{6n+i}}dx_{5n+j} - X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{6n+i}}dx_{5n+j}$$
$$-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{6n+i}}dx_{5n+j} - X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{6n+i}}dx_{5n+j} - X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{6n+i}}dx_{5n+j}$$
$$-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{6n+i}}dx_{5n+j} - X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{6n+i}}dx_{5n+j} - X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}dx_{5n+j}$$

$$+X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{5n+i}}dx_{6n+j}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{5n+i}}dx_{6n+j}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{5n+i}}dx_{6n+j}$$

$$+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{5n+i}}dx_{6n+j}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{5n+i}}dx_{6n+j}+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{5n+i}}dx_{6n+j}$$

$$+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{5n+i}}dx_{6n+j}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}dx_{6n+j}-X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{3n+i}}dx_{7n+j}$$

$$-X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}dx_{7n+j}-X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}dx_{7n+j}-X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}dx_{7n+j}$$

$$-X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{3n+i}}dx_{7n+j}-X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{3n+i}}dx_{7n+j}-X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}dx_{7n+j}$$

$$-X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}dx_{7n+j}+\frac{\partial L}{\partial x_j}dx_j+\frac{\partial L}{\partial x_{n+j}}dx_{n+j}+\frac{\partial L}{\partial x_{2n+j}}dx_{2n+j}+\frac{\partial L}{\partial x_{3n+j}}dx_{3n+j}$$

$$+\frac{\partial L}{\partial x_{4n+j}}dx_{4n+j}+\frac{\partial L}{\partial x_{5n+j}}dx_{5n+j}+\frac{\partial L}{\partial x_{6n+j}}dx_{6n+j}+\frac{\partial L}{\partial x_{7n+j}}dx_{7n+j}=0$$

or

$$-[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{4n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{4n+i}}+\ X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{4n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{4n+i}}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{4n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{4n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{4n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{4n+i}}]dx_j+\frac{\partial L}{\partial x_j}dx_j$$

$$+[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{2n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{2n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{2n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{2n+i}}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{2n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{2n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{2n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{2n+i}}]dx_{n+j}+\frac{\partial L}{\partial x_{n+j}}dx_{n+j}$$

$$-[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{n+i}}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{n+i}}]dx_{2n+j}+\frac{\partial L}{\partial x_{2n+j}}dx_{2n+j}$$

$$+[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{7n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}+X^{4n+i}\frac{\partial L}{\partial x_{4n+j}\partial x_{7n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{7n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{7n+i}}]dx_{3n+j}+\frac{\partial L}{\partial x_{3n+j}}dx_{3n+j}$$

$$+[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_i}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_i}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_i}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_i}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_i}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_i}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_i}]dx_{4n+j}+\frac{\partial L}{\partial x_{4n+j}}dx_{4n+j}$$

$$-[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{6n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{6n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{6n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{6n+i}}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{6n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{6n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{6n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{6n+i}}]dx_{5n+j}+\frac{\partial L}{\partial x_{5n+j}}dx_{5n+j}$$

$$+[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{5n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{5n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{5n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{5n+i}}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{5n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{5n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{5n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{5n+i}}]dx_{6n+j}+\frac{\partial L}{\partial x_{6n+j}}dx_{6n+j}$$

$$-[X^{i}\frac{\partial^2 L}{\partial x_j \partial x_{3n+i}}+X^{n+i}\frac{\partial^2 L}{\partial x_{n+j}\partial x_{7n+i}}+X^{2n+i}\frac{\partial^2 L}{\partial x_{2n+j}\partial x_{7n+i}}+X^{3n+i}\frac{\partial^2 L}{\partial x_{3n+j}\partial x_{7n+i}}+X^{4n+i}\frac{\partial^2 L}{\partial x_{4n+j}\partial x_{3n+i}}$$

$$+X^{5n+i}\frac{\partial^2 L}{\partial x_{5n+j}\partial x_{3n+i}}+X^{6n+i}\frac{\partial^2 L}{\partial x_{6n+j}\partial x_{7n+i}}+X^{7n+i}\frac{\partial^2 L}{\partial x_{7n+j}\partial x_{3n+i}}]dx_{7n+j}+\frac{\partial L}{\partial x_{7n+j}}dx_{7n+j}=0$$

Then we find the equations

$$\begin{gathered}
\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_i}\right)+\frac{\partial L}{\partial x_{4n+i}}=0,\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{n+i}}\right)-\frac{\partial L}{\partial x_{2n+i}}=0,\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{2n+i}}\right)+\frac{\partial L}{\partial x_{n+i}}=0,\\
\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{3n+i}}\right)-\frac{\partial L}{\partial x_{7n+i}}=0,\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{4n+i}}\right)-\frac{\partial L}{\partial x_i}=0,\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{5n+i}}\right)+\frac{\partial L}{\partial x_{6n+i}}=0,\\
\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{6n+i}}\right)-\frac{\partial L}{\partial x_{5n+i}}=0,\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{7n+i}}\right)+\frac{\partial L}{\partial x_{3n+i}}=0,
\end{gathered}\tag{10}$$

such that the equations expressed in **Eq.** (10) are named *Euler-Lagrange equations* structured on Clifford Kähler manifold (M,V) by means of $\Phi_L^{J_4}$ and in the case, the triple $(M,\Phi_L^{J_4},\xi)$ is said to be a *mechanical system* on Clifford Kähler manifold (M,V).

Fifth, we obtain Euler-Lagrange equations for quantum and classical mechanics by means of $\Phi_L^{J_5}$ on Clifford Kähler manifold (M,V).

Let J_5 be another local basis component on the Clifford Kähler manifold (M,V). Let ξ take as in **Eq.** (5). In the case, the vector field defined by

$$\begin{gathered}
V_{J_5}=J_5(\xi)=X^i\frac{\partial}{\partial x_{5n+i}}-X^{n+i}\frac{\partial}{\partial x_{3n+i}}-X^{2n+i}\frac{\partial}{\partial x_{7n+i}}+X^{3n+i}\frac{\partial}{\partial x_{n+i}}\\
+X^{4n+i}\frac{\partial}{\partial x_{6n+i}}-X^{5n+i}\frac{\partial}{\partial x_i}-X^{6n+i}\frac{\partial}{\partial x_{4n+i}}+X^{7n+i}\frac{\partial}{\partial x_{2n+i}},
\end{gathered}\tag{11}$$

is *Liouville vector field* on Clifford Kähler manifold (M,V). The function given by $E_L^{J_5}=V_{J_5}(L)-L$ is *energy function.* Then the operator i_{J_5} induced by J_5 and defined by

$$i_{J_5}\omega(X_1,X_2,...,X_r)=\sum_{i=1}^{r}\omega(X_1,...,J_5X_i,...,X_r)\tag{12}$$

is *vertical derivation,* where $\omega\in\wedge^r M$, $X_i\in\chi(M)$. The *vertical differentiation* d_{J_5} is determined by

$$d_{J_5}=[i_{J_5},d]=i_{J_5}d-di_{J_5}.\tag{13}$$

Taking into consideration J_5, the closed Clifford Kähler form is the closed 2-form given by $\Phi_L^{J_5} = -dd_{J_5}L$ such that

$$\begin{aligned} d_{_{J_5}} &= \frac{\partial}{\partial x_{5n+i}}dx_i - \frac{\partial}{\partial x_{3n+i}}dx_{n+i} - \frac{\partial}{\partial x_{7n+i}}dx_{2n+i} + \frac{\partial}{\partial x_{n+i}}dx_{3n+i} \\ &\quad + \frac{\partial}{\partial x_{6n+i}}dx_{4n+i} - \frac{\partial}{\partial x_i}dx_{5n+i} - \frac{\partial}{\partial x_{4n+i}}dx_{6n+i} + \frac{\partial}{\partial x_{2n+i}}dx_{7n+i} \end{aligned} \tag{14}$$

and given by operator

$$d_{J_5} : \mathcal{F}(M) \to \wedge^1 M. \tag{15}$$

The closed Clifford Kähler form $\Phi_L^{J_5}$ on M is the symplectic structure. So it yields

$$\begin{aligned} E_L^{J_5} &= V_{J_5}(L) - L = X^i \frac{\partial L}{\partial x_{5n+i}} - X^{n+i}\frac{\partial L}{\partial x_{3n+i}} - X^{2n+i}\frac{\partial L}{\partial x_{7n+i}} + X^{3n+i}\frac{\partial L}{\partial x_{n+i}} \\ &\quad + X^{4n+i}\frac{\partial L}{\partial x_{6n+i}} - X^{5n+i}\frac{\partial L}{\partial x_i} - X^{6n+i}\frac{\partial L}{\partial x_{4n+i}} + X^{7n+i}\frac{\partial L}{\partial x_{2n+i}} - L \end{aligned} \tag{16}$$

Using **Eq.** (1), using (5), (14) and (16), also by means of the above fourth part we obtain the equations

$$\begin{gathered} \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_i}\right) + \tfrac{\partial L}{\partial x_{5n+i}} = 0, \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{n+i}}\right) - \tfrac{\partial L}{\partial x_{3n+i}} = 0, \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{2n+i}}\right) - \tfrac{\partial L}{\partial x_{7n+i}} = 0, \\ \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{3n+i}}\right) + \tfrac{\partial L}{\partial x_{n+i}} = 0, \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{4n+i}}\right) + \tfrac{\partial L}{\partial x_{6n+i}} = 0, \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{5n+i}}\right) - \tfrac{\partial L}{\partial x_i} = 0, \\ \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{6n+i}}\right) - \tfrac{\partial L}{\partial x_{4n+i}} = 0, \tfrac{\partial}{\partial t}\left(\tfrac{\partial L}{\partial x_{7n+i}}\right) + \tfrac{\partial L}{\partial x_{2n+i}} = 0, \end{gathered} \tag{17}$$

Thus the equations found in **Eq.** (17) are named *Euler-Lagrange equations* structured by means of $\Phi_L^{J_5}$ on Clifford Kähler manifold (M,V) and so, the triple $(M,\Phi_L^{J_5},\xi)$ is called a *mechanical system* on Clifford Kähler manifold (M,V).

Sixth, we present Euler-Lagrange equations for quantum and classical mechanics by means of $\Phi_L^{J_6}$ on Clifford Kähler manifold (M,V).

Let J_6 be a local basis on Clifford Kähler manifold (M,V).Let semispray ξ give as in **Eq.**(5). So, *Liouville vector field* on Clifford Kähler manifold (M,V) is the vector field defined by

$$\begin{aligned} V_{J_6} = J_6(\xi) = X^i \tfrac{\partial}{\partial x_{6n+i}} - X^{n+i} \tfrac{\partial}{\partial x_{7n+i}} - X^{2n+i} \tfrac{\partial}{\partial x_{3n+i}} + X^{3n+i} \tfrac{\partial}{\partial x_{2n+i}} \\ +X^{4n+i} \tfrac{\partial}{\partial x_{5n+i}} - X^{5n+i} \tfrac{\partial}{\partial x_{4n+i}} - X^{6n+i} \tfrac{\partial}{\partial x_i} + X^{7n+i} \tfrac{\partial}{\partial x_{n+i}}. \end{aligned} \tag{18}$$

The function given by $E_L^{J_6} = V_{J_6}(L) - L$ is *energy function* and found by

$$\begin{aligned} E_L^{J_6} = X^i \tfrac{\partial L}{\partial x_{6n+i}} - X^{n+i} \tfrac{\partial L}{\partial x_{7n+i}} - X^{2n+i} \tfrac{\partial L}{\partial x_{3n+i}} + X^{3n+i} \tfrac{\partial L}{\partial x_{2n+i}} \\ +X^{4n+i} \tfrac{\partial L}{\partial x_{5n+i}} - X^{5n+i} \tfrac{\partial L}{\partial x_{4n+i}} - X^{6n+i} \tfrac{\partial L}{\partial x_i} + X^{7n+i} \tfrac{\partial L}{\partial x_{n+i}} - L. \end{aligned} \tag{19}$$

The function i_{J_6} induced by J_6 and given by

$$i_{J_6}\omega(X_1, X_2, ..., X_r) = \sum_{i=1}^{r} \omega(X_1, ..., J_6 X_i, ..., X_r), \tag{20}$$

is said to be *vertical derivation,* where $\omega \in \wedge^r M$, $X_i \in \chi(M)$. The *vertical differentiation* d_{J_6} is determined by

$$d_{J_6} = [i_{J_6}, d] = i_{J_6} d - d i_{J_6}, \tag{21}$$

We say the closed Kähler form is the closed 2-form given by $\Phi_L^{J_6} = -dd_{J_6} L$ such that

$$\begin{aligned} d_{J_6} \;=\; & \frac{\partial}{\partial x_{6n+i}} dx_i - \frac{\partial}{\partial x_{7n+i}} dx_{n+i} - \frac{\partial}{\partial x_{3n+i}} dx_{2n+i} + \frac{\partial}{\partial x_{2n+i}} dx_{3n+i} \\ & + \frac{\partial}{\partial x_{5n+i}} dx_{4n+i} - \frac{\partial}{\partial x_{4n+i}} dx_{5n+i} - \frac{\partial}{\partial x_i} dx_{6n+i} + \frac{\partial}{\partial x_{n+i}} dx_{7n+i} \end{aligned}$$

and

$$d_{J_6} : \mathcal{F}(M) \to \wedge^1 M \tag{22}$$

Considering **Eq.** (1), similar to the above first and second cases , we calculate the following equations

$$\begin{gathered}\frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_i}\right)+\frac{\partial L}{\partial x_{6n+i}}=0,\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{n+i}}\right)-\frac{\partial L}{\partial x_{7n+i}}=0,\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{2n+i}}\right)-\frac{\partial L}{\partial x_{3n+i}}=0,\\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{3n+i}}\right)+\frac{\partial L}{\partial x_{2n+i}}=0,\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{4n+i}}\right)+\frac{\partial L}{\partial x_{5n+i}}=0,\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{5n+i}}\right)-\frac{\partial L}{\partial x_{4n+i}}=0,\\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{6n+i}}\right)-\frac{\partial L}{\partial x_i}=0,\ \frac{\partial}{\partial t}\left(\frac{\partial L}{\partial x_{7n+i}}\right)+\frac{\partial L}{\partial x_{n+i}}=0,\end{gathered}\tag{23}$$

Thus the equations obtained in **Eq.** (23) infer *Euler-Lagrange equations* structured by means of $\Phi_L^{J_6}$ on Clifford Kähler manifold (M,V) and so, the triple $(M,\Phi_L^{J_6},\xi)$ is called a *mechanical system* on Clifford Kähler manifold (M,V).

4 Conclusion

From above, Lagrangian formalisms has intrinsically been described taking into account a canonical local basis $\{J_i\}$, $i=\overline{1,6}$ of V on Clifford Kähler manifold (M,V).

The paths of semispray ξ on Clifford Kähler manifold are the solutions Euler–Lagrange equations raised in (10), (17) and (23), and also obtained by a canonical local basis $\{J_i\}$, $i=\overline{1,6}$ of vector bundle V on Clifford Kähler manifold (M,V). One may be shown that these equations are very important to explain the rotational spatial mechanics problems.

References

[1] M. De Leon, P.R. Rodrigues, Methods of Differential Geometry in Analytical Mechanics, North-Holland Mathematics Studies, vol.152, Elsevier, Amsterdam, 1989.

[2] M. Tekkoyun, On Para-Euler–Lagrange and Para-Hamiltonian Equations , Phys. Lett. A, Vol. 340, Issues 1-4, 2005, pp. 7-11.

[3] D. Stahlke, Quaternions in Classical Mechanics, Phys 621. http://www.stahlke.org/dan/phys-papers/quaternion-paper.pdf

[4] M. Tekkoyun, Lagrangian Mechanics on the standard Clifford Kähler Manifolds, arXiv:0902.3724v1.

[5] K. Yano, M. Kon, Structures on Manifolds, Series in Pure Mathematics-Volume 3, World Scientific Publishing Co. Pte. Ltd., Singore, 1984.

[6] I. Burdujan, Clifford Kähler Manifolds, Balkan Journal of Geometry and its Applications, Vol.13, No:2, 2008, pp.12-23.